

CHAPTER 266: HUMAN RESOURCES MANAGEMENT

1	PURPOSE AND SCOPE	266-2
2	DEFINITIONS.....	266-2
3	OPERATING RATIONALE AND BASIS OF CRITERIA	266-4
4	INPUT DATA STATEMENTS (IDS)	266-5
5	SPACE PLANNING CRITERIA.....	266-5
6	PLANNING AND DESIGN CONSIDERATIONS.....	266-8
7	FUNCTIONAL RELATIONSHIPS.....	266-9
8	FUNCTIONAL DIAGRAM	266-10



1 PURPOSE AND SCOPE

This document outlines Space Planning Criteria for Chapter 266: Human Resources Management. It applies to all medical facilities at the Department of Veterans Affairs (VA).

The activities of Personnel Service relate to recruitment, placement, training, classification and pay administration; supervisor-employee relations, and labor management administration.

2 DEFINITIONS

Space Planning / SEPS

Building Gross (BG) Factor: A Factor applied to the sum of all the Departmental Gross Square Footage (DGSF) in a project to determine the Building Gross Square Footage. This factor accounts for square footage used by the building envelope, structural systems, horizontal and vertical circulation including main corridors, elevators, stairs and escalators, shafts, and mechanical spaces. The Department of Veterans Affairs has set this factor at 1.35 and included guidance in case of variance when developing a Program for Design (PFD) in SEPS.

Department Net to Gross (DNTG) Factor: A parameter, determined by the VA for each clinical and non-clinical department PG-18-9 space planning criteria chapter, used to convert the programmed Net Square Feet (NSF) area to the Department Gross Square Feet (DGSF) area.

Full-Time Equivalent (FTE): A staffing parameter equal to the amount of time assigned to one full time employee. It may be composed of several part-time employees whose combined time commitment equals that of one full-time employee (i.e., 40 hours per week).

Functional Area (FA): The grouping of rooms and spaces based on their function within a clinical service or department.

Functional Area Criteria Statement (FACS): A verbalized mathematical / logical formulation assigned to a FA incorporating answers to Input Data Statements (IDSs) to determine the condition for providing the rooms / spaces listed in the FA in the baseline space program or Program for Design (PFD) for a project. Certain rooms / spaces may or may not have additional conditions.

Input Data Statement(s): A question or set of questions designed to elicit information about the healthcare project to generate a Program for Design (PFD) based on the parameters set forth in this set of documents. This information is processed through mathematical and logical operations in the VA Space and Equipment Planning system (SEPS).

JSN (Joint Schedule Number): A unique five alpha-numeric code assigned to each content item in the PG-18-5 Standard. JSNs are defined in DoD's Military Standard 1691 and included in SEPS Content Table.

Net Square Feet / Net Square Meters (NSF/NSM): The area of a room or space derived from that within the interior surface of the bounding walls or boundaries.



Program for Design (PFD): A project specific itemized listing of the spaces, rooms, and square foot area required for the proper operation of a specific service / department, and the corresponding area for each. PFDs are generated by SEPS based on the PG-18-9 Standard.

PG-18-5: A Department of Veterans Affairs' Equipment Guidelist Standard for planning, design, and construction of VA healthcare facilities; a Program Guide (PG) that lists assigned room contents (medical equipment, furniture, and fixtures) to each room in PG-18-9. PG-18-5 follows PG-18-9's chapter organization and nomenclature.

PG-18-9: A Department of Veterans Affairs' Program Guide for the Space Planning Criteria Standard use to develop space planning guidance for the planning, design, and construction of VA healthcare facilities; a Program Guide (PG) that provides space planning guidance for VA Medical Centers (VAMCs) and Community Bases Outpatient Clinics (CBOCs). PG-18-9 is organized by chapters, as of September 2021 there are 56 clinical and non-clinical PG-18-9 chapters; they are implemented and deployed in SEPS so that space planners working on VA healthcare projects can develop baseline space programs.

PG-18-12: A Department of Veterans Affairs' Design Guide Standard for planning, design and construction of VA healthcare facilities, a Program Guide (PG) that provides design guidance for VA Medical Centers (VAMCs) and Community Bases Outpatient Clinics (CBOCs). The narrative section details functional requirements and the Room Template section details the planning and design of key rooms in PG-18-9. Not all PG-18-9 chapters have a corresponding PG-18-12 Design Guide; one Design Guide can cover more than one PG-18-9 chapter.

Room Area: The square footage required for a clinical or non-clinical function to take place in a room / space. It takes into account the floor area required by equipment (medical and non-medical), furniture, circulation, and appropriate function / code-mandated clearances. Room area is measured in Net Square Feet (NSF).

Room Code (RC): A unique five alpha-numeric code assigned to each room in the PG-18-9 Standard. Room Codes in PG-18-9 are unique to VA and are the basis for SEPS's Space Table for VA projects.

Room Criteria Statement (RCS): A mathematical / logical formulation assigned to each room / space included in PG-18-9 incorporating answers to Input Data Statements (IDSs) to determine the provision of the room / space in the baseline space program or Program for Design (PFD) for a project.

SEPS: Acronym for Space and Equipment Planning System which produces equipment lists and Program for Design for a healthcare project based on specific information entered in response to Input Data Questions.

SEPS Importer: A style-based format developed to allow upload of RCSs and IDSs to SEPS to implement and operationalize space planning criteria in PG-18-9 in the SEPS digital tool. This format establishes the syntax used in the RCSs and allows the use of Shortcuts. Shortcuts allow developers of space planning criteria statements to simplify RCSs making



full use of their logical and mathematical functionality. A shortcut can refer to an RCS, a room in any FA or a formula. Shortcuts are [bracketed] when used in FAs and RCSs and are listed along with their equivalences at the end of the Space Planning Criteria section.

Space Planning Concept Matrix (SPCM): A working document developed during the chapter update process. It lists all the rooms organized by Functional Area and establishes ratios between the directly and the indirectly workload driven rooms for the planning range defined in this document. The matrix is organized in ascending workload values in ranges reflecting existing facilities and potential future increase. Section 5 of this document Space Planning Criteria reflects the values in the SPCM.

VA Room Family (VA RF): An organizational system of rooms / spaces grouped by function, a 'Room Family'. There are two "Orders" in the VA RF: Patient Care and Patient Care Support; Patient Care features four sub-orders: Clinical, Inpatient, Outpatient and Residential Clinical. There are also four sub-orders in the Patient Care Support order: Building Support, Clinical Support, Staff Support and Veteran Support. Each room in a Family has a unique Room Code and NSF assigned based on its Room Contents and function which correspond to the specific use of the room. The same RC can be assigned to different Room Names with the same function in this document and can be assigned an NSF that varies based on the PG-18-5 Room Contents assigned to the room.

VA Technical Information Library (TIL): A resource website maintained by the Facilities Standards Service (FSS) Office of Construction and Facilities Management (CFM) containing a broad range of technical publications related to the planning, design, leasing, and construction of VA facilities. VA-TIL can be accessed at: <https://www.cfm.va.gov/TIL/>

Workload: Workload is the anticipated number of procedures, clinic stops, clinic encounters etc. that is processed through a department/service area. The total workload applied to departmental operational assumptions will determine overall room requirements by modality.

3 OPERATING RATIONALE AND BASIS OF CRITERIA

- A. Space Planning parameters and metrics in this document are based on the Human Resources Management Space Planning Criteria Matrix (SPCM) developed as a basis for this chapter. The SPCM lists all the spaces a VA Human Resources Management facility would require; the quantity and NSF for each room is calculated based on the total number of FTE positions authorized for the facility organized in five ranges each corresponding to 1,000 FTE positions authorized incrementally.
- B. The room quantity (Q) and area (NSF) values included for each range in the SPCM are reflected in the Room Criteria Statements, placed immediately below each room name, room code and NSF/NSM, for each room in Section 5 of this document. The number of Human Resources Management FTE positions authorized is included in the Input Data Statements (IDSs) in Section 4. Both Sections are implemented in the Space Planning and Equipment System (SEPS) software accessible through the MAX.gov website.



Planners programming a VA Human Resources Management project shall develop a baseline Program for Design (PFD) in SEPS.

- C. SEPS incorporates a Net-to-Department Gross (NTDG) factor of **1.30** for Human Resources Management and a Building Gross (BG) factor of 1.35 in the space calculation. These factors generate the Department Gross Square Feet (DGSF) and the Building Gross Square Feet (BGSF) for the project based on the aggregate resulting Net Square Feet (NSF) for all Departments included. Planners can adjust the BGSF factor in SEPS; the NTDG factor is fixed.
- D. The space planning and design Program Guides: PG-18-9, PG-18-5, and PG-18-12 are available at the [Department of Veterans Affairs Office of Construction and Facilities Management \(CFM\) Technical Information Library \(TIL\)](#) website.
- E. Personnel Service Levels will be determined by the number of employees (full and part time), as follows:

TABLE 1: PERSONNEL SERVICE LEVELS

LEVEL	TOTAL NUMBER OF FTE POSITIONS AUTHORIZED FOR THE FACILITY
A	50 – 699
B	700 – 1199
C	1200 or greater

4 INPUT DATA STATEMENTS (IDS)

- A. How many FTE positions in total are authorized for this facility? (S) (Values: 1 to 5,000)

5 SPACE PLANNING CRITERIA

A. FA 1: RECEPTION AREA

- 1. **HR Waiting, Bldg Sprt (SB003) 80 NSF (7.5 NSM)**
 - a. Provide one if [FTE positions authorized] is between 50 and 1,000
 - b. Provide one at 100 NSF if [FTE positions authorized] is between 1,001 and 2,000
 - c. Provide one at 110 NSF if [FTE positions authorized] is between 2,001 and 3,000
 - d. Provide one at 130 NSF if [FTE positions authorized] is between 3,001 and 4,000
 - e. Provide one at 150 NSF if [FTE positions authorized] is between 4,001 and 5,000

This area will be for visitors who have appointments relating to their current or pending employment, and should be adjacent to the open office / work space. Wall storage space is provided for employment materials and related forms.

- 2. **HR Public Toilet, Bldg Sprt (SB191) 60 NSF (5.6 NSM)**
 - a. Provide one if [FTE positions authorized] is between 50 and 2,000
 - b. Provide two if [FTE positions authorized] is between 2,001 and 5,000

Allocated NSF accommodates one accessible toilet @ 25 NSF, one wall-hung lavatory @ 12 NSF, ABA clearances, and circulation. One for male and one for female.



B. FA 2: STAFF AND ADMINISTRATIVE AREA

- 1. HR Human Resources Director Office, Stff Sprt (SS204) 100 NSF (9.3 NSM)**
 - a. Provide one if [FTE positions authorized] Is between 50 and 5,000*
- 2. HR Assistant Service Chief Office, Stff Sprt (SS204) 100 NSF (9.3 NSM)**
 - a. Provide one if [FTE positions authorized] Is between 50 and 5,000*
- 3. HR Administration Support Workstation, Stff Sprt (SS218) 56 NSF (5.3 NSM)**
 - a. Provide two if [FTE positions authorized] Is between 50 and 1,000*
 - b. Provide three if [FTE positions authorized] Is between 1,001 and 3,000*
 - c. Provide four if [FTE positions authorized] Is between 3,001 and 5,000*
- 4. HR Personnel Management Specialist Office, Stff Sprt (SS204) 100 NSF (9.3 NSM)**
 - a. Provide one if [FTE positions authorized] Is between 50 and 1,000*
 - b. Provide two if [FTE positions authorized] Is between 1,001 and 2,000*
 - c. Provide three if [FTE positions authorized] Is between 2,001 and 3,000*
 - d. Provide four if [FTE positions authorized] Is between 3,001 and 4,000*
 - e. Provide five if [FTE positions authorized] Is between 4,001 and 5,000*
- 5. HR Personnel Management Support Workstation, Stff Sprt (SS218) 56 NSF (5.3 NSM)**
 - a. Provide two if [FTE positions authorized] Is between 50 and 1,000*
 - b. Provide three if [FTE positions authorized] Is between 1,001 and 3,000*
 - c. Provide four if [FTE positions authorized] Is between 3,001 and 4,000*
 - d. Provide six if [FTE positions authorized] Is between 4,001 and 5,000*
- 6. HR Personnel Assistant Workstation, Stff Sprt (SS218) 56 NSF (5.3 NSM)**
 - a. Provide one if [FTE positions authorized] Is between 50 and 1,000*
 - b. Provide two if [FTE positions authorized] Is between 1,001 and 2,000*
 - c. Provide three if [FTE positions authorized] Is between 2,001 and 3,000*
 - d. Provide four if [FTE positions authorized] Is between 3,001 and 4,000*
 - e. Provide five if [FTE positions authorized] Is between 4,001 and 5,000*
- 7. HR Copy / Supply Room, Stff Sprt (SS272) 80 NSF (7.5 NSM)**
 - a. Provide one if [FTE positions authorized] Is between 50 and 1,000*
 - b. Provide two if [FTE positions authorized] Is between 1,001 and 2,000*
 - c. Provide three at 100 NSF if [FTE positions authorized] Is between 2,001 and 3,000*
 - d. Provide four at 100 NSF if [FTE positions authorized] Is between 3,001 and 4,000*
 - e. Provide five at 120 NSF if [FTE positions authorized] Is between 4,001 and 5,000*

Personnel Assistant and Clerical employees will provide clerical, technical and administrative support to the Personnel Management Specialists; their work spaces should be in proximity to the Personnel Management Specialists office(s).
- 8. HR Placement / Testing Conference Room, Stff Sprt (SS294)240 NSF (22.3 NSM)**
 - a. Provide one if [FTE positions authorized] is between 50 and 1,000*
 - b. Provide one at 300 NSF if [FTE positions authorized] is between 1,001 and 3,000*
 - c. Provide two at 300 NSF if [FTE positions authorized] is between 3,001 and 5,000*



This room will serve a dual purpose for Personnel Conference and for potential employee examinations. It will also supplement the waiting space and the space available for meetings and consultations requiring privacy. This room should be in proximity to the Personnel Management Specialists office / work space.

9. HR Staff Universal Toilet, Bldg Sprt (SB191) 60 NSF (5.6 NSM)
a. Provide two if [FTE positions authorized] is between 50 and 5,000

Allocated NSF accommodates one accessible toilet @ 25 NSF, one wall-hung lavatory @ 12 NSF, ABA clearances, and circulation.

C. FA 3: SUPPORT AREA

1. HR Personnel Records File Room, Stff Sprt (SS254)120 NSF (11.2 NSM)
a. Provide one if [FTE positions authorized] is between 50 and 1,000
b. Provide one at 160 NSF if [FTE positions authorized] is between 1,001 and 2,000
c. Provide one at 200 NSF if [FTE positions authorized] is between 2,001 and 3,000
d. Provide one at 240 NSF if [FTE positions authorized] is between 3,001 and 4,000
e. Provide one at 280 NSF if [FTE positions authorized] is between 4,001 and 5,000

Located in an accessible area adjacent to the Personnel Management office / work spaces. One "Powerfile" per 1,800 active personnel records Maximum number of "Powerfiles" is 3. Standard file systems may be substituted as an alternative, if approved by VHA.

2. HR Support Personnel Workstation, Stff Sprt (SS218) 56 NSF (5.3 NSM)
a. Provide one if [FTE positions authorized] is between 50 and 1,000
b. Provide two if [FTE positions authorized] is between 1,001 and 3,000
c. Provide three if [FTE positions authorized] is between 3,001 and 5,000

Located in an accessible area adjacent to the Personnel Management office / work space. Scanning personnel records Unit.

3. HR Storage Room, Lgstcs Svc (SB773) 80 NSF (7.5 NSM)
a. Provide one if [FTE positions authorized] is between 50 and 1,000
b. Provide one at 100 NSF if [FTE positions authorized] is between 1,001 and 2,000
c. Provide one at 120 NSF if [FTE positions authorized] is between 2,001 and 3,000
d. Provide one at 140 NSF if [FTE positions authorized] is between 3,001 and 4,000
e. Provide one at 160 NSF if [FTE positions authorized] is between 4,001 and 5,000

D. SEPS IMPORTER SHORTCUTS

The following shortcuts are used in the Room Criteria Statements in the Human Resources Management Functional Areas. These shortcuts are used during upload of this document into the Space and Equipment Planning System (SEPS) software during implementation of the space planning parameters contained herewith to allow for mathematical or logical calculations to be performed. Input Data Statements (IDSs), Rooms or a partial calculation formula can have a shortcut.



1. *FTE positions authorized:* [How many FTE positions in total are authorized for this facility?]

6 PLANNING AND DESIGN CONSIDERATIONS

- A. Due to the constant interaction among Personnel Service in all sections, all office / workspace should be contiguous and the whole Department be located on the same floor.
- B. The following office / workspaces should be designed as a suite:
 1. Chief of Personnel
 2. Secretary
 3. Clerks
 4. Assistant Chief of Personnel (if authorized)
- C. Provide a separate entry to the suite for the Chief and Assistant Chief of Personnel in addition to entry to the clerical-specialist area.
- D. Refer to Department of Veterans Affairs (VA) Office of Construction and Facilities Management Technical Information Library (www.cfm.va.gov/til/) for additional technical criteria.

7 FUNCTIONAL RELATIONSHIPS

Relationship of Human Resources Management to services listed below:

TABLE 2: FUNCTIONAL RELATIONSHIP MATRIX

SERVICES	FUNCTIONAL RELATIONSHIP
CLNCL SPRT: Nursing Service Administration	2
STFF SPRT: Fiscal Service	2
BLDG SPRT: Lobby	2
CLNCL SPRT: VAMC Director	2
STFF SPRT: Education: Auditorium	3
CLNCL: Clncl Svc Adm: Medical Service	3
CLNCL: Clncl Svc Adm: Hospital Medicine	3
STFF SPRT: HAS: Ward Administration Section (WAS)	3
BLDG SPRT: Police & Security	3

Legend:

1. High
2. Moderate
3. Minimal



8 FUNCTIONAL DIAGRAM

