


12.12 Doors

Door Symbols: Similar to partition types, door types are to be created to accurately reflect each kind of door in regards to type, size and information. The 2-D door symbol is a result of the view that is created from the BIM model. Because of this, 3-D doors shall be used throughout the construction documents for 2-D representations:



6	7	8	9
---	---	---	---

21
ICU DOOR
SEE DETAIL 2
SHEET H-AE 4.103

22
GLAZED CLOSET
DOOR

NOTES:

SHEET NOTES:

- REFER TO SHEET G-011 FOR STANDARD SYMBOLS AND ABBREVIATIONS
- TOP & SIDE RAILS SHALL BE 9" MIN. BOTTOM RAILS SHALL BE 12" MIN.
- DOOR HARDWARE SETS FOR WOOD AND METAL DOORS ARE SPECIFIED IN SECTION 087100.
- WIRE GLASS SHALL NOT BE USED IN ANY DOORS, RATED OR UNRATED.
- ALL DOORS SHALL BE FLUSH - 1 3/4" THICK UNLESS NOTED OTHERWISE.
- STANDARD DOOR TYPES ARE COMPATABLE WITH STANDARD FRAME TYPES. SPECIAL DOOR FRAMES ARE SHOWN WITH THE DOOR TYPE, THIS SHEET.
- SEE DOOR SCHEDULE FOR HEAD DETAIL AND JAMB DETAIL LOCATIONS NOT CALLED OUT HERE.
- DOOR FRAME PROFILES ARE GENERIC. REFER TO SPECIFICATIONS FOR PERFORMANCE REQUIREMENTS
- ALL SIDE LITE GLAZING TO MATCH DOOR LITE GLAZING U.O.N.
- GLASS MATERIAL: T - TEMPERED, L - LAMINATED, F - FIRE RESISTIVE, LL - LEADED, E - ELECTROMAGNETIC SHIELDING IN LAMINATED, * - SPECIAL SEE DETAILS AND SPECS.

A. Detail View

31
MRI / RADIO
FREQUENCY
SHIELDED DOOR:
SEE MRI ROOM
DETAILS, SHEET H-
AE 3.321

32
PHARMACY VAULT
GSA TYPE 5 VAULT,
SEE DETAILS 1 & 2
SHEET H-AE 4.106

33
PHARMACY VAULT
DAY GATE, SEE
PHARMACY DETAIL X
SHEET H-AE 4.106

SPECIAL DOOR TYPES

1/4" = 1'-0"

Door Schedule:

All doors are to be communicated in construction documents by schedule.

DOOR SCHEDULE (B1-B2)													
DOOR NO		DOOR					FRAME		LABEL	HDWR	DETAILS (N-AE5.704) U.N.O.		REMARKS
		WIDTH	WIDTH (SEC.)	HEIGHT	MATERIAL	TYPE	MATERIAL	TYPE			HEAD/SILL	JAMB	
201	Pr	7' - 0"		7' - 0"	AL	FG	AL	S29		1.03			R1
202	Pr	7' - 0"		7' - 0"	AL	FG	AL	S29		1.04			
203.1		4' - 0"		7' - 0"	WD	F	HM	1		9.01	1	7,13	
203.2		4' - 0"		7' - 0"	WD	F	HM	1		9.01	1	7,13	
204.1		4' - 0"		7' - 0"	WD	F	HM	8		3.01	1	7,13	R5
204.2		4' - 0"		7' - 0"	WD	F	HM	4		3.00	1	7,13	
204.3		4' - 0"		7' - 0"	WD	F	HM	4		3.00	1	7,13	
204.4		4' - 0"		7' - 0"	WD	F	HM	1		3.00	1	7,13	
205		4' - 0"		7' - 0"	WD	F	HM	1		5.01	1	7,13	
206		4' - 0"		7' - 0"	WD	F	HM	1		5.01	1	7,13	
207		4' - 0"		7' - 0"	WD	F	HM	4		3.00	1	7,13	R5
208		4' - 0"		7' - 0"	WD	F	HM	4		3.00	1	7,13	R5
209		4' - 0"		7' - 0"	WD	F	HM	1		9			
211		3' - 6"		7' - 0"	WD	F	HM	1		9			
212		4' - 0"		7' - 0"	WD	F	HM	1	45	4			
213		4' - 0"		7' - 0"	WD	F	HM	1		5			
214		4' - 0"		7' - 0"	WD	F	HM	1	45	4			
215	Pr	3' - 6"		7' - 0"	HM	F	HM	1		2			
216	Pr	3' - 6"		7' - 0"	HM	F	HM	1		2			

REMARKS AND ABBREVIATIONS:

R1: CARD ACCESS

R2: OPERABLE GLASS WALL

R3: 180 DEGREE DOOR SWING

R4: CASED OPENING

R5: FOR LOCATION OF WALL REVEALS ADJACENT TO DOORS, SEE ENLARGED PLAN, SHEET N-AE4.101. REFER TO INTERIORS DRAWINGS FOR ADDITIONAL INFORMATION.

R6: DECORATIVE GATE REFER TO N-AE5.504

R7: FOR AREAS C3-C4, DOOR NUMBERS 026, 049, 099, AND 123 REFER TO DOOR HARDWARE SCHEDULE DOOR NUMBERS 026.1, 049.1, 099.1, AND 123.1.

UE: PAIR OF DOORS WITH UNEVEN LEAF

PR: PAIR OF DOORS

Door Schedule Parameters built within doors (see schedule above):

- Door Number
- Door Width
- Door Height
- Door Material
- Type
- Frame Material
- Frame Type
- Fire Rating
- Hardware Code
- Head / Sill and Jamb Detail Numbers
- Remarks - Links to 'Remarks and Abbreviations' Legend.

The **VA Object Element Matrix**- "Door" category has a complete list of the appropriate door elements for each stage of the project development.