

Summary of Modifications/Changes in this Update

This Summary of Changes is for information only.
It is not a part of the referenced document, and should not be used for project documentation.

U.S. Department of Veterans Affairs ♦ Office of Construction & Facilities Management

DATE OF THIS VERSION (new)

November 1, 2016

TITLE OF DOCUMENT (new title if applicable):

Meters and Gages for Plumbing Piping, 22 05 19

DATE OF VERSION BEING SUPERSEDED (old):

May 1, 2010

DESCRIPTION OF DOCUMENT (previous title, number, other identifying data):

Meters and Gages for Plumbing Piping, 22 05 19

SUMMARY OF CHANGES IN THIS VERSION:

1. Deleted Note 2 of the Spec Writer Note regarding links.
2. 1.1.A.2 - Appended "and or replacement of existing insulation damaged during construction."
3. 1.2 – Updated specification sections with related work.
4. 1.3 – Revised applicable publications to their latest versions.
5. 1.4 - Added paragraphs 1.4.A., B. and C.
6. 1.1.B.13 - Revised HWR definition from "Pump recirculation" to "Hot water recirculating"
7. 1.5.B - Citations of paragraphs from NFPA 90A were corrected to reflect the exact wording in the current version of NFPA 90A. Cited paragraphs were renumbered, some deleted.
8. 1.5.D – Added Bio-Based Materials.
9. 1.6 - Added As-Built Documentation.
10. 2.7.D - Calcium Silicate Table was updated to match values in the ASTM standard.
11. 2.8.D - Designer's Note VA HVAC Design Manual corrected to the current Table number.
12. 2.8.D - Added exception for flexible elastomeric cellular thermal insulation.

13. 3.1.N.2 - Designer's Note VA HVAC Design Manual corrected to the current Table number.
14. 3.2.C.8 - Deleted "a. Plumbing piping as follows" and renumbered subsequent paragraphs.
15. 3.1.J.4 - Deleted.
16. 3.1.Q – Added paragraph on PVC jackets over insulation.