

Summary of Modifications/Changes in this Update

This Summary of Changes is for information only.
It is not a part of the referenced document, and should not be used for project documentation.

U.S. Department of Veterans Affairs ♦ Office of Construction & Facilities Management

DATE OF THIS VERSION:

July 1, 2014

TITLE OF DOCUMENT:

RESINOUS (EPOXY BASE) WITH VINYL CHIP BROADCAST (RES-2), 09 67 23.20

DATE OF VERSION BEING SUPERSEDED (old):

May 1, 2011

DESCRIPTION OF DOCUMENT (previous title, number, other identifying data):

RESINOUS (EPOXY BASE) WITH VINYL CHIP BROADCAST (RES-2), 09 67 23.20

SUMMARY OF CHANGES IN THIS VERSION:

1. Page 1 PART-1 Section 1.2 added Paragraph B reference to Substrate Preparation for Floor Finishes.
2. Page 3 PART-1 Section 1.4 added Spec Writer Note concerning Mockup requirement.
3. Page 5,6 PART-1 Section 1.6 added requirements for preparing concrete substrate for resinous flooring applications. See Paragraph 2, subparagraphs a, b, c and Table that follows.
4. Page 6 PART-1 Section 1.6, Paragraph D delete.
5. Page 6 PART -1 add Spec Writer Note before Section 1.8.
6. Page 7 PART-1 Section 1.8 Paragraphs B thru G deleted and rewritten to update testing procedures. See Paragraphs B & C and applicable publications.
7. Page 8 & 9, PART-2 Paragraphs 2.1 D & E. Sequential order of paragraphs changed. Paragraph E (System Characteristics) changed to paragraph D, and Paragraph D (Physical Properties) changed to paragraph E.
8. Page 9 PART-2 Section 2.1D3 changed language of Spec Writer note.
9. Page 9 PART-2 section 2.1 paragraph E physical properties table updated for testing procedures and properties. See new table.

10. Page 9 PART-2 section 2.1 paragraph F, pulled chemical resistance from physical properties section and developed its own paragraph with more detail concerning testing procedures and results.
11. Page 10 PART-2 Section 2.2 paragraph C Spec Writer note updated.
12. Page 10 PART-2 Section 2.3, "Troweled Cove Base//And Trench Liner" has been deleted it is covered in PART-3.
13. Page 11 PART-2 Section 2.4 (Base Cap Strip) is now section 2.3.
14. Page 12 PART-3 Section 3.4 Paragraph B1b, change to ASTM Test from (ASTM C 811 to ASTM D 4259) to be in compliance with ASTM Standard C722-04 (2012), "Standard Specification for Chemical-Resistant Monolithic Floor Surfacing.
15. Page 12 PART-3 Section 3.4 Paragraph B2, Spec Writer Note after paragraph has been changed.
16. Page 12 PART-3 Section 3.4 Paragraph B3, Spec Writer Note after paragraph has been deleted.
17. Page 12 PART-3 Section 3.4 Paragraph B3a added language at the end of the paragraph as follows, "Per manufacturers recommendations".
18. Page 12 PART-3 Section 3.4 Paragraph B3d, changed language for RH requirements.
19. Page 13 PART-3 Section 3.5 Paragraph A3, Spec Writer Note before subparagraph b deleted because materials for joint sealant are specified herein.
20. Page 15 PART-3 Section 3.7 changed to become Section 3.8 . New Section 3.7 added entitled "Engineering Details"