

Summary of Modifications/Changes in this Update

This Summary of Changes is for information only.
It is not a part of the referenced document, and should not be used for project documentation.

U.S. Department of Veterans Affairs ♦ Office of Construction & Facilities Management

DATE OF THIS VERSION:

November 1, 2023

TITLE OF DOCUMENT:

Countertops, 12 36 00

DATE OF VERSION BEING SUPERSEDED (old):

December 1, 2018

DESCRIPTION OF DOCUMENT (previous title, number, other identifying data):

Countertops, 12 36 00

SUMMARY OF CHANGES IN THIS VERSION:

1. Under Article 2.10 entitled Countertops and paragraph I, subparagraph 3 has been edited to remove references to previous standard details that have been eliminated from the VA's library of Standard Details. Language to clarify how exposed areas of countertops will be finished has been provided in subparagraph 3.

Summary of Modifications/Changes in this Update

This Summary of Changes is for information only.
It is not a part of the referenced document, and should not be used for project documentation.

U.S. Department of Veterans Affairs ♦ Office of Construction & Facilities Management

DATE OF THIS VERSION:

December 1, 2018

TITLE OF DOCUMENT:

Countertops, 12 36 00

DATE OF VERSION BEING SUPERSEDED (old):

December 1, 2015

DESCRIPTION OF DOCUMENT (previous title, number, other identifying data):

Countertops, 12 36 00

SUMMARY OF CHANGES IN THIS VERSION:

1. Changed required thickness of methacrylic polymer countertops to conform to current industry standard of 13mm (1/2 in). See Article 2.10, paragraph Q, subparagraph 1