

# Summary of Modifications/Changes in this Update

This Summary of Changes is for information only.  
It is not a part of the referenced document, and should not be used for project documentation.

U.S. Department of Veterans Affairs ♦ Office of Construction & Facilities Management

## **DATE OF THIS VERSION (new)**

September 1, 2020

## **TITLE OF DOCUMENT (new title if applicable):**

Electric Domestic Water Heaters, 22 33 00

## **DATE OF VERSION BEING SUPERSEDED (old):**

September 1, 2015

## **DESCRIPTION OF DOCUMENT (previous title, number, other identifying data):**

Electric Domestic Water Heaters, 22 33 00

## **SUMMARY OF CHANGES IN THIS VERSION:**

1. General grammatical changes
2. 1.2 – Updated Related Work Section and removed sections that were not referenced in the body of the specification.
3. 1.3 – Updated Applicable Publications
4. 1.5 – Added reference to 01 81 13, Sustainable Construction Requirements in section.
5. 1.6 – Replaced all text to comply with Section 220511.
6. Expanded Spec Writers Notes to explain some terminology used in the section.
7. 2.1.H – Expanded requirements for drain valves. ASSE 1005 which specified drain valve requirements has been discontinued. Added verbiage intended to replace ASSE 1005 requirements.
8. 2.4.A – Modified requirements for drain pan.
9. 3.1.F – Removed requirement to regulate discharge water temperature to 130F. Higher discharge temperatures are required to meet VA's Legionella mitigation protocol.